

Academia Journal of Medicine Year 2025, Volume-8, Issue- 2 (July-Dec)



Virtual Reality Distraction in Pediatric Dentistry: A Comprehensive Review of Its Efficacy and Applications

¹ Dr. H. L Gupta, ² Dr. Meghna Punjabi, ³ Dr. Jurmi Kothari, ⁴ Dr. Sumit Bhatt, ⁵ Dr. K. Muraliselvan, ⁶ Dr. G. Mohan

¹ HOD & Professor, Principal, Department of Periodontology and Oral Implantology, Rajasthan Dental College and Hospital, Nirwan University, Jaipur, Rajasthan.

² Assistant Professor, Department of Pediatric and Preventive Dentistry, GDCH, Mumbai, Maharashtra

³ Tutor, Department of Pedodontia, Government dental college and hospital Ahmedabad, Gujarat.

⁴ PhD Scholar, Assistant Professor, Department of Oral and Maxillofacial Surgery, Rajasthan Dental College & Hospital, Nirwan University, Jaipur, Rajasthan

⁵ Postgraduate, Department of Pediatric and Preventive Dentistry, Government Dental College and Hospital, Cuddalore District, Chidambaram, Tamilnadu.

⁶ Professor and Head, Department of Pediatric and Preventive Dentistry, Government Dental College and Hospital, Cuddalore District, Chidambaram, Tamilnadu.

ARTICLE INFO

Keywords:

Pediatric Dentistry,
Behaviour management,
Virtual Reality Distraction

ABSTRACT

The effective delivery of dental care can often be hindered by a child's reluctance to cooperate. It is essential to explore psychological behavior management methods that effectively reduce anxiety during dental visits while fostering a positive attitude towards dental procedures. Despite the availability of numerous behavior management techniques, the chosen approach must also be acceptable to parents. Among these techniques, distraction is one of the most commonly utilized and well-received by parents. It involves diverting children's attention away from what they may perceive as unpleasant procedures. Recently, virtual reality distraction (VRD) has emerged as an innovative and increasingly recognized method for providing this diversion. The aim of this research is to thoroughly examine the virtual reality distraction technique.

Introduction:

Virtual reality distraction is an innovative approach gaining attention in the field of pediatric dentistry. As dental procedures can often evoke anxiety and fear in children, traditional behavior management techniques may fall short in effectively addressing these emotional challenges. VRD seeks to transform the dental experience by immersing young patients in engaging virtual environments, thereby

diverting their attention away from the procedure at hand.¹ The use of VRD combines entertainment and distraction, allowing children to explore captivating worlds that can ease their anxieties and promote cooperation during dental visits. This technique not only helps in reducing stress but also aims to improve the overall perception of dental care among children. Parents have shown increased acceptance of VRD as it provides a non-invasive and effective method for managing behavior, enhancing the likelihood of positive

Corresponding author: Dr. H. L Gupta

Email id: hlgupta7@yahoo.co.in

dental experiences.²

By integrating cutting-edge technology into dental practices, VRD represents a shift in how pediatric dentistry addresses the emotional needs of young patients. This introduction to virtual reality distraction highlights its potential to create a more child-friendly environment, ultimately leading to better dental health outcomes and more positive experiences for both children and their parents.³

Virtual reality distraction harnesses the power of immersive technology to create a playful and engaging atmosphere for children during dental procedures. As children are typically more receptive to interactive experiences, VRD capitalizes on their inherent curiosity and imagination. By offering them a chance to explore fantastical worlds, play games, or even embark on adventures while undergoing treatment, VRD can significantly mitigate feelings of fear and anxiety associated with dental visits.⁴

Research has shown that when children are engaged in a VR experience, their focus shifts away from the dental procedure to the virtual environment they are exploring. This shift in focus can effectively reduce physiological signs of anxiety, such as heart rate and stress levels, leading to a calmer and more cooperative patient. Additionally, by fostering a sense of control through interactive storytelling, children are empowered to face their dental experiences with less apprehension.⁵

Furthermore, VRD not only benefits the child but also enhances the overall workflow of dental practices. By reducing anxiety and resisting behavior, dental professionals can perform procedures more efficiently and with greater ease. This can lead to shorter appointment times, reduced need for sedation, and an improved experience for both staff and patients. As a result, practices that implement VRD may see increased patient satisfaction and retention, as children leave the office feeling positive about their dental visit.¹⁻³

In summary, virtual reality distraction represents a significant advancement in pediatric dentistry, addressing the emotional barriers that often accompany dental care for children. Its ability to engage young patients in an enjoyable manner not only alleviates anxiety but also promotes a positive outlook on dental health. As VRD technology continues to develop and become more accessible within dental practices, it has the potential to revolutionize how dental care is delivered to children, making dental visits a more pleasant experience for all involved.

Objectives of Using Virtual Reality Distraction in Pediatric Dentistry^{6,7}

1. **Anxiety Reduction:** The primary objective of employing VRD is to alleviate anxiety and fear associated with dental procedures in children, creating a more relaxed and conducive environment for

treatment.

2. **Enhanced Cooperation:** By diverting children's attention from the dental procedure, VRD aims to promote greater cooperation during treatment, leading to a smoother workflow for dental professionals.

3. **Improving Patient Experience:** VRD seeks to transform the dental visit into a more enjoyable and positive experience for children, fostering a better overall attitude towards dental care.

4. **Reduction of Physiological Stress Responses:** Another key goal is to diminish physiological indicators of stress, such as elevated heart rate and blood pressure, during dental procedures.

5. **Parent Satisfaction:** By providing an engaging distraction, VRD enhances the overall experience not just for the child but also for parents, who are more likely to feel satisfied with their child's treatment.

Mechanism of Virtual Reality Distraction: The mechanism of VRD involves several components that work together to create an immersive experience for the child:

1. **Immersive Environment:** VRD utilizes headsets or goggles to transport children into a virtual world, where they can interact with various engaging elements. This level of immersion helps distract them from the dental procedure.
2. **Interactive Engagement:** The virtual environment is often designed to be interactive, allowing children to participate in games, adventures, or storytelling. This interaction captures their attention and keeps their minds occupied.
3. **Sensory Diversion:** VRD engages multiple senses, including sight and sound, to create a compelling experience that overshadows the discomfort or anxiety linked to dental procedures.
4. **Empathy and Empowerment:** The engaging narratives within the VR experience often include elements that encourage bravery and empowerment, helping children feel in control and supportive of their own experience during treatment.
5. **Distraction from Pain and Discomfort:** By focusing on the virtual experience, children's perception of pain can be significantly diminished. Research has indicated that effective distraction can lead to lowered pain thresholds and improved tolerance to procedures.

Discussion:

Virtual reality distraction has emerged as an innovative approach in pediatric dentistry, offering a unique solution to manage the anxiety and fear that many children experience during dental visits. The integration of immersive

technology not only fosters a more engaging environment for young patients but also adds a layer of distraction that can significantly improve their dental experience.¹

One of the primary benefits of VRD is its ability to divert children's attention away from the clinical aspects of dental procedures. Traditional methods of distraction, such as music or videos, may not always engage children effectively. In contrast, VRD provides an interactive and immersive experience that captures their focus completely, allowing them to explore imaginative worlds while undergoing treatment. This distraction has been shown to lower physiological stress responses, including heart rate and blood pressure, which are typically heightened during dental procedures.^{2,3}

Moreover, the collaborative nature of VR experiences can empower children, making them feel more in control of their dental visit. This empowerment can foster positive associations with dental care, potentially improving long-term attitudes towards oral health. As children engage with the virtual environment, they may also exhibit increased cooperation, allowing dental professionals to perform procedures more efficiently and with fewer complications.

Despite these advantages, it is crucial to consider the accessibility and feasibility of implementing VRD in clinical settings. The initial costs of VR equipment and the need for proper training for dental staff may pose challenges for some practices. However, as technology becomes more prevalent and affordable, the adoption of VRD in pediatric dentistry is likely to grow.

Various researchers have evaluated the efficacy of virtual reality distraction in pediatric dentistry. For instance, Nuvvula et al. (2015) demonstrated that children using 3D VR experienced greater satisfaction and reduced anxiety compared to those in control groups.⁸ Similarly, Buldur et al. (2021) found that VR significantly decreased both pain and anxiety in children undergoing dental procedures, showcasing the effectiveness of PlayStation 4 VR with animated films as a distraction tool.⁹ These findings, along with other studies in the field, collectively underscore the promising role of virtual reality distraction in enhancing the dental experience for young patients.^{8,9}

Niharika et al. (2018) found that the use of Google VR Box significantly reduced both anxiety and pain levels in young patients aged 4 to 8 years, as measured by the Wong-Baker FACES Pain Rating Scale (WBFS), the Modified Child Dental Anxiety Scale (MCDAS), pulse rate, and oximeter readings.¹⁰ Similarly, Pande et al. (2020) demonstrated that in children aged 5 to 8 years, VR interventions were particularly effective in reducing dental fear and anxiety, outperforming control groups and other distraction methods such as audio or smartphone applications.¹¹

Further corroborating these findings, Greeshma et al. (2021) reported that children aged 6 to 8 years exhibited the highest levels of relaxation while using VR, showing significant reductions in anxiety as assessed by the Fear Indices Scale (FIS), heart rate, and oximeter measurements.¹² Their study

employed a VR roller coaster experience that further enhanced the immersion of children in a playful context. Additionally, Zaidman et al. (2022) focused on older children (ages 4 to 12) and found that VR significantly decreased pain during rubber dam placement, reaffirming the effectiveness of VR in minimizing discomfort during specific dental procedures.¹³

The interactive nature of these VR experiences not only helps to alleviate immediate fears but also cultivates positive associations with dental care, potentially improving long-term attitudes toward oral health. The empowerment children feel while engaging in VR can further encourage cooperation during procedures, making the entire experience more manageable for dental professionals.

Despite these promising outcomes, it is essential to address the challenges associated with the implementation of VRD in clinical settings. Issues such as the cost of equipment and the need for staff training remain barriers for many dental practices. However, as technology becomes more accessible, the potential for widespread adoption of VRD in pediatric dentistry continues to grow.

In summary, numerous studies—including those by Niharika et al., Pande et al., Greeshma et al., and Zaidman et al.—highlight the significant efficacy of virtual reality distraction in reducing anxiety and pain during dental procedures for children. Collectively, these findings underscore the transformative potential of VRD in creating a more positive dental experience, paving the way for healthier attitudes toward dental care among young patients.

Conclusion:

Virtual reality in pediatric dentistry reduces anxiety and fear, enhancing patient cooperation during procedures. By immersing children in engaging virtual environments, VR creates positive experiences, fostering comfort and security. This distraction may lower pain perception, improving overall outcomes. Continued research is needed to explore long-term effects and applications, but VR shows promise as an effective tool in transforming pediatric dental visits into more enjoyable experiences.

References

- Barros Padilha DX, Veiga NJ, Mello-Moura ACV, Nunes Correia P. Virtual reality and behaviour management in paediatric dentistry: a systematic review. *BMC Oral Health*. 2023 Dec 12;23(1):995.
- Pawar M, Pandya P, Rimple CM, Agrawal K, Dasaraju RK, Jain S. Virtual Reality Distraction: A Novel Behaviour Manage-

- ment Technique. *J Pharm Bioallied Sci.* 2024 Feb;16(Suppl 1):S53-S55.
- Koticha P, Katge F, Shetty S, Patil DP. Effectiveness of virtual reality eyeglasses as a distraction aid to reduce anxiety among 6–10-year-old children undergoing dental extraction procedure. *Int J Clin Pediatr Dent* 2019;12:297–302.
- Panda A. Effect of virtual reality distraction on pain perception during dental treatment in children. *Int J Oral Care Res* 2017;5:278–81.
- Bagher SM, Felemban OM, Alandijani AA, Tashkandi MM, Bhadila GY, Bagher AM. The effect of virtual reality distraction on anxiety level during dental treatment among anxious pediatric patients: a randomized clinical trial. *J Clin Pediatr Dent.* 2023 Jul;47(4):63-71.
- Hamdy SF, Farag MSMS, Helmy YS, Abo-Elsoud AA. Enhancing Pediatric Dental Care: The Influence of Virtual Reality. *Eur J Dent.* 2024 Oct;18(4):1030-1039.
- Gómez-Polo C, Vilches AA, Ribas D, Castaño-Séiquer A, Montero J. Behaviour and Anxiety Management of Paediatric Dental Patients through Virtual Reality: A Randomised Clinical Trial. *J Clin Med.* 2021 Jul 7;10(14):3019.
- Nuvvula S, Alahari S, Kamatham R, Challa RR. Effect of audiovisual distraction with 3D video glasses on dental anxiety of children experiencing administration of local analgesia: a randomized clinical trial. *Eur Arch Paediatr Dent.* 2015;16(1):43–50.
- Buldur B, Candan M. Does virtual reality affect children's dental anxiety, pain, and behaviour? A randomized, placebo-controlled, crossover trial. *Pesqui Bras Odontopediatria Clin Integr.* 2020;2020(21):1–14.
- Niharika P, Venugopal Reddy N, Srujana P, Srikanth K, Daneswari V, Sai GK. Effects of distraction using virtual reality technology on pain perception and anxiety levels in children during pulp therapy of primary molars. *J Indian Soc Pedod Prev Dent.* 2018;36(4):364–369.
- Pande P, Rana V, Srivastava N, Kaushik N. Effectiveness of different behavior guidance techniques in managing children with negative behavior in a dental setting: A randomized control study. *J Indian Soc Pedod Prev Dent.* 2020;38(3):259–265.
- Greeshma SG, George S, Anandaraj S, Sain S, Jose D, Sreenivas A, et al. Comparative Evaluation of the Efficacy of Virtual Reality Distraction, Audio Distraction and Tell-show-do Techniques in Reducing the Anxiety Level of Pediatric Dental Patients: An In Vivo Study. *Int J Clin Pediatr Dent.* 2021;14(S2):S173–S178.
- Zaidman L, Lusky G, Shmueli A, Halperson E, Moskovitz M, Ram D, et al. Distraction With Virtual Reality Goggles in Paediatric Dental Treatment: A Randomised Controlled Trial. *Int Dent J.* 2023;73(1):108–113.