Online ISSN 2663-8290

Research Article

Academia Journal of Medicine
Vol. 9, No. 2, July–December 2026

Virtual Reality-Based Neurophysiotherapy in Orofacial Rehabilitation: Applications, Challenges, and Future Directions

Aditi Katkar Pavashe[1*], Deepthi Mandava[2], Nishima[3], Ravi Shankar Babu Yelamanchi[4], K Suraj Kumar[5] and Tanushree Aloni[6]

[1] *Consultant Neurophysiotherapist, Kriya Physiotherapy Clinic and Rehabilitation, Chhatrapati Sambhajinagar, Maharashtra.*
[2] *Associate Professor, Department of Conservative Dentistry and Endodontics, Faculty of Dentistry, AIMST University, Jalan Bedong - Semeling, 08100 Bedong, Kedah, Malaysia*
[3] *Senior Resident, Department of Dentistry, SHKM, GMC, Nuh, Mewat, Haryana.*
[4] *Assistant Professor, Department of Dental Materials, Faculty of Dentistry, AIMST University, Jalan Bedong - Semeling, 08100 Bedong, Kedah, Malaysia.*
[5] *Lecturer, Physiotherapy & Service Incharge, Composite Regional Centre (CRC) Rajnandgaon, Chhattisgarh*
[6] *Assistant Professor, Department of Musculoskeletal Physiotherapy, Oyster College of Physiotherapy, Chh Sambhajinagar, Maharashtra.*

[*] Corresponding author. E-mail: dr.aditi11285@gmail.com

https://doi.org/10.48165/ajm.2026.9.02.37

ARTICLE INFO

Article history
Received: 03.09.2026
Revised: 23.09.2026
Accepted: 22.10.2026

Keywords
Virtual reality
Neurophysiotherapy
Orofacial rehabilitation
Neuroplasticity

ABSTRACT

Virtual reality (VR)-based neurophysiotherapy is an emerging rehabilitation approach that combines interactive digital environments with neurological and functional training to improve motor control, coordination, and patient engagement. In orofacial rehabilitation, VR offers potential applications in the management of temporomandibular disorders, facial muscle dysfunction, swallowing difficulties, and neuromuscular impairments. By promoting repetitive task-oriented exercises, visual feedback, and motor learning, VR may facilitate neuroplasticity and functional recovery. Its integration with dentistry and orthodontics may provide innovative opportunities for improving orofacial muscle coordination and rehabilitation outcomes. However, challenges related to accessibility, treatment standardization, cost, and limited clinical evidence remain. This review explores the neurophysiological basis, clinical applications, current evidence, challenges, and future perspectives of VR-based neurophysiotherapy in orofacial rehabilitation.

INTRODUCTION

Orofacial rehabilitation represents an important component of healthcare, focusing on the restoration of normal function of the facial muscles, temporomandibular joint (TMJ), tongue, and associated neuromuscular structures.[1] Various conditions, including temporomandibular disorders (TMDs), facial nerve palsy, cerebral palsy, swallowing dysfunction, and orofacial muscle abnormalities, can affect normal oral functions such as mastication, swallowing, speech, and facial expressions. These conditions may result in functional limitations, discomfort, and reduced quality of life.[1,2]

Neurophysiotherapy plays an important role in managing neuromuscular dysfunction through therapeutic exercises, motor control training, sensory stimulation, and functional rehabilitation. Conventional rehabilitation approaches primarily involve repetitive exercises and therapist-guided interventions. However, maintaining patient motivation, ensuring treatment adherence, and achieving consistent functional improvements remain important challenges, particularly during long-term rehabilitation.[3]

Virtual reality (VR) has emerged as an innovative

technology with potential applications in neurological and physical rehabilitation. It provides interactive, computer-generated environments that allow patients to perform task-oriented activities with real-time visual and auditory feedback. These features may enhance patient engagement, promote repetitive motor practice, and facilitate motor learning and neuroplasticity.[4]

In neurophysiotherapy, VR-based rehabilitation has been investigated for improving balance, coordination, upper-limb function, gait, and functional independence in patients with neurological disorders. Its application in orofacial rehabilitation offers additional opportunities for improving facial muscle coordination, mandibular movement, tongue mobility, and oral motor function. Interactive exercises may also support rehabilitation in patients with temporomandibular disorders, facial nerve palsy, and swallowing dysfunction.[5]

The integration of VR with dentistry and orthodontics represents an emerging interdisciplinary approach. It may support orofacial myofunctional training, improve patient participation, and provide an innovative platform for monitoring rehabilitation progress. However, direct clinical evidence supporting VR-based interventions specifically in orofacial rehabilitation remains limited, and further research is required to establish standardized protocols and long-term effectiveness.[5]

Therefore, this review aims to explore the principles of VR-based neurophysiotherapy, its potential applications in orofacial rehabilitation, current clinical evidence, existing challenges, and future directions in interdisciplinary dental and neurological care.

Fundamentals of Virtual Reality Technology

Virtual reality is an advanced computer-based technology that creates interactive, simulated environments in which individuals can perform activities in a controlled digital setting. It allows users to interact with virtual objects and receive real-time visual, auditory, and sometimes sensory feedback. VR systems are broadly classified into three categories:

Non-immersive VR: Uses computer screens, tablets, or smartphones to display interactive rehabilitation exercises.

Semi-immersive VR: Combines large displays or projection systems to provide a greater sense of environmental involvement.

Fully immersive VR: Uses head-mounted displays and motion-tracking devices to create an interactive three-dimensional environment.

In neurophysiotherapy, VR facilitates repetitive, task-oriented exercises through interactive games and simulated activities. Motion sensors, cameras, and tracking systems can monitor patient movements and provide feedback regarding performance.[6,7]

In orofacial rehabilitation, VR may be adapted to facilitate facial muscle exercises, mandibular movements, tongue coordination, and swallowing-related training. Gamification and immediate feedback may improve patient motivation and adherence to rehabilitation programs. However, the selection of VR technology should consider patient age, functional ability, comfort, and clinical requirements.[6,7]

Neurophysiological Basis of Orofacial Rehabilitation

Orofacial function depends on the coordinated activity of sensory and motor pathways involving the central and peripheral nervous systems. The trigeminal nerve (cranial nerve V) plays a major role in facial sensation and motor control of the muscles of mastication. Other cranial nerves, including the facial nerve (VII), glossopharyngeal nerve (IX), vagus nerve (X), and hypoglossal nerve (XII), contribute to facial expression, swallowing, and tongue movements.

Sensory information from the oral cavity, facial structures, and masticatory muscles is transmitted to the central nervous system, where it is processed to regulate appropriate motor responses. Coordination between sensory feedback and motor output is essential for mastication, swallowing, speech, and facial expressions.

Orofacial rehabilitation aims to restore impaired neuromuscular function through repetitive exercises, sensory stimulation, and controlled motor activities. VR-based rehabilitation may support these processes by providing visual feedback and interactive tasks that encourage accurate movement execution.

For example, patients with facial nerve dysfunction may perform guided facial expression exercises, while individuals with mandibular movement restrictions may undertake controlled jaw-opening and closing activities. These interventions may facilitate sensorymotor integration and improve functional movement patterns.[8-10]

Neuroplasticity and Motor Learning in Orofacial Rehabilitation

Neuroplasticity refers to the ability of the nervous system to modify its structural and functional organization in response to learning, experience, injury, and rehabilitation. It represents an important biological foun-

dation of neurological recovery and functional adaptation.

Motor learning involves the acquisition and refinement of movement skills through repeated practice, feedback, and experience. In orofacial rehabilitation, motor learning is particularly relevant for improving facial symmetry, mandibular coordination, tongue mobility, and swallowing function.

VR-based rehabilitation may promote motor learning through several mechanisms:

• Repetitive practice: Interactive exercises encourage repeated performance of specific movements.

• Visual feedback: Real-time visual information helps patients recognize and correct movement errors.

• Task-oriented training: Simulated activities encourage functional movement patterns.

• Sensory-motor integration: Visual and auditory inputs may support coordination between sensory perception and motor responses.

• Patient motivation: Gamified activities may improve engagement and participation.

• Progressive training: Exercise difficulty can be adjusted according to individual performance.

In patients with orofacial dysfunction, these mechanisms may support the development of improved motor coordination and functional control. Nevertheless, the extent to which VR produces clinically meaningful neuroplastic changes in orofacial rehabilitation requires further investigation.[11,12]

Virtual Reality-Based Neurophysiotherapy Techniques

VR-based neurophysiotherapy incorporates interactive exercises designed to improve motor coordination, muscle activation, functional movement, and patient participation.

1. **Facial muscle rehabilitation:** VR-guided facial exercises may help patients practice smiling, blinking, raising eyebrows, and controlling lip movements. These exercises may be useful in facial nerve palsy and facial muscle dysfunction.

2. **Temporomandibular joint rehabilitation:** Interactive virtual exercises may guide patients through controlled mouth opening, closing, protrusion, and lateral mandibular movements. Visual feedback may assist in maintaining appropriate movement patterns and improving patient awareness.

3. **Tongue mobility and coordination training:** VR-assisted exercises may be developed to encourage tongue protrusion, elevation, lateralization, and coordinated movements. Such activities may have potential applications in patients with impaired oral motor function.

4. **Swallowing rehabilitation:** Virtual environments may support swallowing-related exercises through guided visual instructions and feedback-based training. These interventions may complement conventional swallowing therapy, although direct evidence for VR in this specific orofacial application remains limited.

5. **Orofacial myofunctional training:** VR may provide interactive platforms for practicing lip closure, tongue positioning, nasal breathing awareness, and coordinated oral muscle activities. These exercises may be relevant to patients with orofacial myofunctional disorders and selected orthodontic functional problems.

6. **Biofeedback-assisted rehabilitation:** Integration of VR with surface electromyography, motion sensors, and facial tracking technology may allow patients to visualize their muscle activity and movement performance. Such feedback could support controlled muscle activation and functional retraining.

7. **Relaxation and pain management:** Immersive virtual environments may be used to promote relaxation, reduce treatment-related anxiety, and support pain-management strategies in patients undergoing orofacial rehabilitation.

Overall, VR-based neurophysiotherapy offers an emerging approach to orofacial rehabilitation by combining repetitive motor training, interactive feedback, and patient engagement. However, these techniques should currently be considered complementary to established rehabilitation methods until stronger clinical evidence becomes available.[10-13]

Clinical Applications in Orofacial Rehabilitation

Virtual reality-based neurophysiotherapy offers potential applications in the rehabilitation of various orofacial conditions by combining interactive exercises, visual feedback, and repetitive motor training. These approaches may improve neuromuscular coordination, functional performance, and patient participation.

1. Temporomandibular Disorders

Temporomandibular disorders involve dysfunction of the TMJ, masticatory muscles, and associated structures. VR-based rehabilitation may provide guided exercises for mandibular opening, closing, protrusion, and lateral movements. Interactive feedback may help

patients improve movement coordination and develop awareness of abnormal mandibular patterns. VR may also be incorporated into relaxation exercises and pain-management programs. However, its direct effectiveness in TMD requires further clinical investigation.[14]

2. Orofacial Muscle Dysfunction

Orofacial muscle dysfunction may affect lip closure, facial symmetry, mastication, speech, and swallowing. VR-based exercises can be designed to facilitate facial expressions, lip movements, and coordinated activation of facial muscles. Real-time visual feedback may help patients recognize movement errors and improve voluntary muscle control. Such applications may be beneficial as complementary rehabilitation approaches in patients with impaired orofacial motor function.[15]

3. Facial Nerve Palsy

Facial nerve palsy results in weakness or paralysis of facial muscles, affecting facial expressions, eye closure, lip competence, and oral functions. VR-assisted rehabilitation may provide interactive facial expression exercises involving smiling, eyebrow elevation, cheek inflation, and lip movements. Facial tracking technology may help assess movement symmetry and provide visual feedback during rehabilitation. These interventions may complement conventional facial neuromuscular retraining.[16]

4. Tongue and Swallowing Dysfunction

Tongue dysfunction and swallowing difficulties may occur following neurological injury or in patients with neuromuscular disorders. VR-based rehabilitation may incorporate guided tongue protrusion, elevation, lateralization, and oral motor coordination exercises. Interactive feedback may improve patient engagement during repetitive training. In swallowing rehabilitation, VR may support therapist-guided exercises and education, although it should not replace clinical swallowing assessment or established dysphagia management.[17]

5. Bruxism and Masticatory Muscle Disorders

Bruxism and masticatory muscle disorders may involve excessive muscle activity, pain, fatigue, and altered mandibular function. VR may be used to promote muscle relaxation, awareness of jaw tension, and controlled mandibular movement. Integration with biofeedback technology, particularly surface electromyography, may allow patients to visualize masticatory muscle activity and practice relaxation techniques.[18]

6. **Cerebral Palsy and Neurological Conditions**

Children with cerebral palsy and patients with other neurological disorders may experience impaired oral motor coordination, drooling, swallowing difficulties, and facial muscle dysfunction. VR-based rehabilitation may provide interactive activities targeting facial movements, tongue coordination, and functional oral motor skills. Gamification may increase participation among pediatric patients and encourage repetitive task-oriented practice. However, interventions should be individualized according to cognitive, sensory, and motor abilities.[19]

7. **Applications in Dentistry and Orthodontics**

The integration of VR technology into dentistry and orthodontics offers opportunities to improve patient education, treatment acceptance, and functional rehabilitation.

In dentistry, VR may be used to provide relaxation during dental procedures, improve patient understanding of treatment, and support rehabilitation exercises for patients with orofacial dysfunction. Interactive environments may also facilitate patient education regarding oral habits, mandibular movements, and muscle relaxation. In orthodontics, VR may complement myofunctional rehabilitation by providing guided exercises for tongue positioning, lip competence, swallowing patterns, and orofacial muscle coordination. It may also improve patient engagement during long-term orthodontic treatment.

Top of Form

Bottom of Form

Clinical Effectiveness and Current Evidence

Virtual reality-based neurophysiotherapy has demonstrated potential benefits in neurological and musculoskeletal rehabilitation, particularly in improving motor coordination, balance, functional mobility, and patient engagement. Its effectiveness is primarily associated with repetitive task-oriented training, interactive visual feedback, and motor learning. In orofacial rehabilitation, VR may provide opportunities to improve mandibular movement, facial muscle coordination, tongue mobility, and oral motor function. However, clinical evidence specifically supporting VR in temporomandibular disorders, facial nerve palsy, and orthodontic myofunctional rehabilitation remains limited. Further randomized controlled trials using standardized assessment tools and long-term follow-up are required to establish its therapeutic effectiveness and clinical applicability.[15-17]

CHALLENGES AND LIMITATIONS

Despite its potential applications, VR-based neurophysiotherapy has several limitations, including high equipment costs, limited accessibility, technological complexity, and insufficiently standardized rehabilitation protocols. Some patients may experience dizziness, nausea, eyestrain, or discomfort during immersive VR sessions. Cognitive impairment, visual disturbances, and individual differences in motor abilities may also influence treatment suitability. Furthermore, limited condition-specific clinical evidence, inadequate therapist training, and concerns regarding patient data privacy may restrict its widespread implementation. Addressing these challenges through technological improvements, clinical validation, and standardized treatment protocols is essential for successful integration into rehabilitation practice.

FUTURE DIRECTIONS

Future developments in VR-based neurophysiotherapy may involve integration with artificial intelligence, augmented reality, wearable sensors, and advanced biofeedback technologies. AI-assisted systems may facilitate automated assessment of facial symmetry, mandibular movements, and neuromuscular coordination, allowing more personalized rehabilitation programs. Immersive VR and augmented reality may improve interactive orofacial exercises, while telerehabilitation platforms may enable remote monitoring and home-based training. Personalized digital rehabilitation systems could adapt exercise intensity according to individual patient performance and functional recovery. Further research should focus on developing standardized protocols and evaluating the long-term clinical effectiveness of these emerging technologies in dentistry and orofacial rehabilitation.

CONCLUSION

Virtual reality-based neurophysiotherapy represents a promising emerging approach to orofacial rehabilitation by integrating interactive technology, motor learning, and neuromuscular training. Its potential applications include temporomandibular disorders, facial nerve palsy, orofacial muscle dysfunction, swallowing abnormalities, and neurological conditions such as cerebral palsy. Integration with dentistry and orthodontics may provide additional opportunities for myofunctional rehabilitation, functional recovery, and improved patient engagement. However, limited condition-specific clinical evidence, technological barriers, and the absence of standardized treatment protocols remain important challenges. Further high-quality clinical trials are necessary to establish its effectiveness, safety, and long-term benefits.

REFERENCES

Schimmel, M., Aarab, G., Baad-Hansen, L., Lobbezoo, F., & Svensson, P. (2021). A conceptual model of oro-facial health with an emphasis on function. *Journal of Oral Rehabilitation, 48*(11), 1283–1294.

Vaira, L. A., & De Riu, G. (2023). Temporomandibular joint disorders: Functional and conservative treatment. *Journal of Clinical Medicine, 12*(14), 4772.

Straudi, S., & Cano-de-la-Cuerda, R. (2023). Clinical application of physical therapy in neurorehabilitation. *Journal of Clinical Medicine, 12*(8), 2752.

Lorkowski, J., Raulinajtys-Grzybek, M., & Pokorski, M. (2025). Virtual reality-based rehabilitation therapy. *Physiological Research, 74*(4), 563–569.

Bateni, H., Carruthers, J., Mohan, R., & Pishva, S. (2024). Use of virtual reality in physical therapy as an intervention and diagnostic tool. *Rehabilitation Research and Practice, 2024*, 1122286.

Felsberg, D. T., McGuirt, J. T., Ross, S. E., Raisbeck, L. D., Howard, C. K., & Rhea, C. K. (2025). Clinician perspectives on virtual reality use in physical therapy practice in the United States. *PLOS ONE, 20*(4), e0320215.

Keshner, E. A. (2004). Virtual reality and physical rehabilitation: A new toy or a new research and rehabilitation tool? *Journal of NeuroEngineering and Rehabilitation, 1*(1), 8.

Raciti, L., Ferrillo, M., Ammendolia, A., Raciti, G., Curci, C., Calafiore, D., Onesta, M. P., Calabrò, R. S., Longo, U. G., & de Sire, A. (2025). Neurophysiological examination for the diagnosis of orofacial pain and temporomandibular disorders: A literature review. *Diagnostics, 15*(8), 1035.

Jääskeläinen, S. K. (2019). Differential diagnosis of chronic neuropathic orofacial pain: Role of clinical neurophysiology. *Journal of Clinical Neurophysiology, 36*, 422–429.

Von Piekartz, H., Geitner, G., Möller, D., Braun, R., & Hall, T. (2022). Does combined individualized orofacial manual therapy, pain neuroscience education, and brain training change orofacial pain, chronic face dysfunction, (facial) body perception and pain? An observational mixed methods case series study. *Journal of Manual & Manipulative Therapy, 30*(3), 180–191.

Avivi-Arber, L., Lee, J. C., Yao, D., et al. (2010). Neuroplasticity of face sensorimotor cortex and implications for control of orofacial movements. *Japanese Dental Science Review, 46*(2), 132–142.

Chandrasekharan Nair, K. (2025). Neuroplasticity and prosthodontic treatment—A narrative review. *Acta Scientific Dental Sciences, 9*, 23–29.

Lorkowski, J., Raulinajtys-Grzybek, M., & Pokorski, M. (2025). Virtual reality-based rehabilitation therapy. *Physiological Research, 74*(4), 563–569.

Skorupa-Strojna, A., & Kulesa-Mrowiecka, M. (2026). Effectiveness of physiotherapy for temporomandibular disorders: A systematic review of pain and functional outcomes. *Scandinavian*

Journal of Pain, 26(1), 1.

Avivi-Arber, L., Lee, J. C., Yao, D., Adachi, K., & Sessle, B. J. (2010). Neuroplasticity of face sensorimotor cortex and implications for control of orofacial movements. *Japanese Dental Science Review, 46*(2), 132–142. https://doi.org/10.1016/j.jdsr.2009.11.007

Edalati, S., Spector, B., Nathan, R., Vasan, V., Rosenberg, J., & Gray, M. L. (2025). Exploring extended reality as a therapy for patients with facial paralysis: A scoping review. *American Journal of Otolaryngology, 46*(2), 104562.

Leal, T. Y., Garib, D., Eto, H., et al. (2025). Brief orofacial myofunctional therapy and tongue pressure as prediction factors for open bite correction: A randomized clinical trial. *Clinical Oral Investigations, 29*, 407. https://doi.org/10.1007/s00784-025-06483-2

Vieira, M. A., Oliveira-Souza, A. I. S., Hahn, G., Bähr, L., Armijo-Olivo, S., & Ferreira, A. P. L. (2023). Effectiveness of biofeedback in individuals with awake bruxism compared to other types of treatment: A systematic review. *International Journal of Environmental Research and Public Health, 20*(2), 1558.

AlSoqih, N. S., Al-Harbi, F. A., Alharbi, R. M., AlShammari, R. F., Alrawithi, M. S., Alsharif, R. L., Alkhalifah, R. H., Almaghrabi, B. A., Almatham, A. E., & Azzam, A. Y. (2025). Efficacy of virtual reality interventions for motor function improvement in cerebral palsy patients: Systematic review and meta-analysis. *Journal of Clinical Medicine, 14*(23), 8388.

How to Cite this Article: Katkar Pavashe A., Mandava D., Nishima, Babu Yelamanchi R.S., Kumar K.S., Aloni T.. (2026). Virtual Reality-Based Neurophysiotherapy in Orofacial Rehabilitation: Applications, Challenges, and Future Directions. *Academia Journal of Medicine*, ***9***(2), 220-225. https://doi.org/10.48165/ajm.2026.9.02.37